

Receiving Report

Date: 8/1/27 Batch No: M109058
 Supplier: MACNA Dart P/O: 7007
 Packing Slip: Yes ☒ No ☐ Release Note Attached: Yes ☒ No ☐ N/A ☐
 Invoice: Yes ☐ No ☒ Waybill Attached: Yes ☐ No ☒ N/A ☐
 Receipt: Cash ☐ Cr ☒ Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection 6/6/28 N/A ☒
 Work Order 6/6/28 N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|------------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| M6061T630280125 | | 80 | 20 | 0 | 40 | |
| M6061T6312500125 | | 12 | 20 | 0 | 20 | |
| M6061T65050 | | 12F | 0 | 0 | 128 | |

M6061T65050

96 Initials of receiver (if shipment OK) Level 12

Production/Admin:

Date

Received/Costing

Initial

10/10/27
10/10/27
10/10/27
10/10/27

Location

MAGNA

INOXYDABLE INC.
STAINLESS INC.

525 Meloche Ave., Dorval (Québec) H9P 2W2

Tél; (514) 631-1211 Fax; (514) 631-0013

Sans Frais/Toll Free: 1-800-383-6648

Return/Credit Request

Return No.

4322

Date

NOV/14

Pick Up/Drop off Date:

NOV/19

Customer Name

or refund only

Address

DART

P/U Address

1270 ABERDEEN
HAWKESBURY, ONT

S/O #

Inv #

Cust Tel No.

Cust PO No

R/A Authorization

Sales Rep #

W003232

1007

9L

15

Reason For Return or Credit:

WANTED SG NOT RE

| QTY Returned | Description | | | QTY Received | Price | Extension |
|-----------------|-------------|----------------|------|-----------------|-------|-----------|
| | Grade | Size | Heat | | | |
| 10 pos | 6061-T6 | 1" 56 1/8 x 24 | | | 1.50 | 15.00 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Warehouse
process date:

G.S.T.

Sub Total

initials:

Q.S.T.

Total

Revised blue

96/11/06

Dart Aerospace Ltd

Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7
Phone: (613) 632-3336
Fax: (613) 632-4443

Receiving Slip

| | |
|-------------------------------|-----------|
| Date Aug 28, 2008 | Page 1 |
| Receipt Number RCP00008740 | |

Purchase From:

Magna Stainless
525 avenue Meloche
Dorval, QC H9P 2W2
Canada

Ship To:

Main Finished Goods Location
Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7

| Reference | Description | Contact | Vendor Number | PO Number |
|-----------|-------------|---------|---------------|------------|
| | | | VC-MAG002 | PO00007007 |

| Vendor Item Number | Item Number | Description | Qty. Received | UOM | Unit Cost | Extended Cost | Arrival Date |
|---------------------|----------------|---|---------------|-----|-----------|---------------|--------------|
| RETURN F RET 188 | M5052H32S040 | 5052-H32 .040 Sheet PER AMS-QQ-A-250/8 OR AMS 4016 MATERIAL: 5052H32 ALUMINUM SHEET B/N109058 | 128.0000 | sf | 1.437500 | 184.00 | Aug 28, 2008 |
| | M6061T6B0250X0 | 6061-T6 Bar .250 X 1.25 PER AMS-QQ-A-200/8 OR AMS 4160 PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 MATERIAL: 6061-T6 OR 6061-T6511/T6510/T6511/T62 BAR B/N109058 | 20.0000 | f | 0.875500 | 17.51 | Aug 28, 2008 |
| | M6061T6B0750X0 | 6061-T6 Bar .750 x .125 AS ABOVE B/N109058 | 120.0000 | f | 0.275000 | 33.00 | Aug 28, 2008 |
| | M6061T6B1250X0 | 6061-T6 Bar 1.25 x 1.25 AS ABOVE B/N109058 | 20.0000 | f | 7.500000 | 150.00 | Aug 28, 2008 |
| | M6061T6B3000X0 | 6061-T6 Bar 3.00 x 1.50 AS ABOVE B/N109058 | 40.0000 | f | 12.500000 | 500.00 | Aug 28, 2008 |
| | M6061T6S125 | 6061-T6 .125 Sheet AS ABOVE B/N109058 | 96.0000 | sf | 6.406000 | 614.98 | Aug 28, 2008 |

Comments:

ENA

MAGNA STAINLESS DIV. DE CSM INC.
525 MELOCHE AVE.
DORVAL, QUEBEC H9P 2W2
(514) 631-1211 FAX: (514) 631-0013

COMMANDE SALES ORDER

0174282

INSTRUCTIONS SPÉCIALES / SPECIAL INSTRUCTIONS

J-L
B/O OK BY ERIC W

ENDU A
SOLD TO:

LIVRÉ À /
SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO

K6A 1K7

| | | | | |
|--|---------------------------------|--|--|---|
| COMMANDE SALES ORDER | CODE DE CLIENT CUSTOMER CODE | BON D'ACHAT DU CLIENT CUSTOMER PURCHASE ORDER | N° DE TÉLÉPHONE DU CLIENT CUSTOMER TELEPHONE NUMBER | N° DE TÉLÉCOPIEUR DU CLIENT CUSTOMER FAX NO. |
| 0174282 | DART | 7007 | 613 632-5200 | 632-1053 |
| LIVRÉ VIA - SHIP VIA | CONDITIONS - TERMS | DATE COMMANDEE DATE ORDERED | DATE REQUISE DATE REQUIRED | DATE LIVREE DATE DELIVERED |
| NIR:R-557065-1 | NET 30 | Aug-22-08 | Aug-27-08 | 15 26 EB |
| CONTRÔLE DE QUALITÉ DU CLIENT REQUIS CUSTOMER QUALITY RELEASE REQ'D | | CONTRÔLE DE QUALITÉ DE MAGNA REQUIS MAGNA QUALITY RELEASE REQ'D | | PRÉPAYÉ PREPAID |
| A PERCEVOIR COLLECT | | | | |
| QUALITÉ QUALITY | UNITÉ UNIT | N° DE COULÉE HEAT NUMBER | DESCRIPTION | QTE LIVRÉE QTY SHIPPED |
| COMMANDE ORDERED | A VENIR - B/O | | | |
| 40 | 4 | pcs 62330 | 5052-H32 .040 X 48 X 96 USE MTR #CF987 | 744 |
| 30 | 3 | pcs 20330100 | 6061-T6 PLATE 1/8 X 48 X 96 USE MTR #CJ473 | 1724 |
| 600 | 6 | pcs 2789 | 6061-T6 ALUM FLAT 1/8 X 3/4 (20) | 14 # |
| 405 | 1 | pcs 745 | 6061-T6 ALUM 1 1/4-SQ (20) USE MTR #BQ714 | 36 # |
| Continued | | | | |
| INSTRUCTIONS DE L'USINE PLANT INSTRUCTIONS | | | | |
| 4 pcs CA 987/01 | | | | |
| 3 pcs 2435/01 | | | | |
| 6 pcs CA 795 | | | | |
| 1 pcs BG 714 | | | | |

NOMBRE DE PAQ.
NUMBER OF BOL'S 156-040

MTR-AVEC COMMANDE
MTR'S-WITH ORDER ☒

POSTE
MAIL ☐

TÉLÉCOPIEUR
FAX ☐

*** DELIVERY / LIVRAISON ***

Page: 1

09:24:36

20080822

N° DE COULÉE ÉTAMPER SUR LE CÔTÉ
HEAT NO. STAMP ONE END ☐

MATÉRIEL REÇU EN BON ÉTAT PAR: MATERIAL RECEIVED IN GOOD CONDITIONS BY:

REVISION 'E' - 07/07 - FORM 8008

CA878

20

28E224

MAGNA

INOXYDABLE

MAGNA STAINLESS DIV. DE CSM INC.
525 MELOCHE AVE.
DORVAL, QUEBEC H9P 2W2
(514) 631-1211 FAX: (514) 631-0013

COMMANDE
SALES ORDER

0174282

VENDEUR À /
SOLD TO:

LIVRÉ À /
SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO

K6A 1K7

INSTRUCTIONS SPÉCIALES / SPECIAL INSTRUCTIONS

| | | | | | | | |
|--|---------------------------------|--|--|---|--------------------------------|-----------------------|---|
| COMMANDE SALES ORDER | CODE DE CLIENT CUSTOMER CODE | BON D'ACHAT DU CLIENT CUSTOMER PURCHASE ORDER | N° DE TÉLÉPHONE DU CLIENT CUSTOMER TELEPHONE NUMBER | N° DE TÉLÉCOPIEUR DU CLIENT CUSTOMER FAX NO. | | | |
| 0174282 | DART | 7007 | 613, 632-5200 | 632-1053 | | | |
| LIVRÉ VIA - SHIP VIA | CONDITIONS - TERMS | DATE COMMANDEE DATE ORDERED | DATE REQUISE DATE REQUIRED | DATE LIVRÉE DATE DELIVERED | N° DU VENDEUR SALES REP NO. | | |
| NIR:R-557065-1 | NET 30 | Aug-22-08 | Aug-27-08 | | 15 26 EB | | |
| CONTRÔLE DE QUALITÉ DU CLIENT REQUIS CUSTOMER QUALITY RELEASE REQ'D | | CONTRÔLE DE QUALITÉ DE MAGNA REQUIS MAGNA QUALITY RELEASE REQ'D | | PRÉPAYÉ PREPAID | À PERCEVOIR COLLECT | | |
| QUALITÉ ORDERED | QUALITÉ A VENIR - B/O | UNITÉ UNIT | N° DE COULÉE HEAT NUMBER | DESCRIPTION | QTE LIVRÉE QTY SHIPPED | PRIX PAR PRICE PER | INSTRUCTIONS DE L'USINE PLANT INSTRUCTIONS |
| 2 | B61pc | pcs | 10975 | 6061-T6 ALUM FLAT 1/4 X 1 1/4 USE MTR #BW847 | 8 # | | 2 pcs BW847 |
| 3 | 3pc | pcs | EH05717 | 6061-T6 ALUM 1" SQ X .120 "SOC" USE MTR #CI159 | 36 # | | 3 pcs CI159 |
| 1.00 | | Lot | | Fuel Surcharge | 14 | | |
| TOTAL: | | | | | | | 320 LBS |

NOMBRE DE PAQ.
NUMBER OF BOL'S

MTR-AVEC-COMMANDE
MTR'S-WITH ORDER ☒

POSTE
MAIL ☐

TÉLÉCOPIEUR
FAX ☐

****PACKING SLIP / BON D'EMBALLAGE****

Page: 2

09:24:36

20080822

N° DE COULÉE ÉTAMPER SUR LE CÔTÉ
HEAT NO. STAMP ONE END ☐

REVISION "E" - 07/07 - FORM 8008

MATÉRIEL REÇU EN BON ÉTAT PAR / MATERIAL RECEIVED IN GOOD CONDITIONS BY:

MAGNA

INDUSTRIAL

MAGNA STAINLESS DIV. DE CSM INC.
525 MELOCHE AVE.
DORVAL, QUEBEC H9P 2W2
(514) 631-1211 FAX: (514) 631-0013

COMMANDE SALES ORDER

0174282

VENDEUR À /
SOLD TO:

LIVRÉ À /
SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO

K6A 1K7

INSTRUCTIONS SPÉCIALES / SPECIAL INSTRUCTIONS

| | | | | | | | | | | | | | |
|---|--|---------------------------------|--|---|--|--|--|---|--|---|--|---|--|
| COMMANDE SALES ORDER | | CODE DE CLIENT CUSTOMER CODE | | BON D'ACHAT DU CLIENT CUSTOMER PURCHASE ORDER | | N° DE TÉLÉPHONE DU CLIENT CUSTOMER TELEPHONE NUMBER | | N° DE TÉLÉCOPIEUR DU CLIENT CUSTOMER FAX NO. | | | | | |
| 0174282 | | DART | | 7007 | | 613 632-5200 | | 632-1053 | | | | | |
| LIVRÉ VIA - SHIP VIA | | CONDITIONS - TERMS | | DATE COMMANDEE DATE ORDERED | | DATE REQUISE DATE REQUIRED | | DATE LIVRÉE DATE DELIVERED | | | | | |
| NIR:R-557065-1 | | NET 30 | | Aug-22-08 | | Aug-27-08 | | 15 26 EB | | | | | |
| CONTRÔLE DE QUALITÉ DU CLIENT REQUIS CUSTOMER QUALITY RELEASE REQ'D <input type="checkbox"/> | | | | CONTRÔLE DE QUALITÉ DE MAGNA REQUIS MAGNA QUALITY RELEASE REQ'D <input type="checkbox"/> | | | | PRÉPAYÉ PREPAID <input type="checkbox"/> | | À PERCEVOIR COLLECT <input type="checkbox"/> | | | |
| QUALITÉ - QUALITY | | UNITÉ UNIT | | N° DE COULÉE HEAT NUMBER | | DESCRIPTION | | QTE LIVRÉE QTY SHIPPED | | PRIX PAR PRICE PER | | INSTRUCTIONS DE L'USINE PLANT INSTRUCTIONS | |
| COMMANDEE ORDERED | | A VENIR - B/O | | | | | | | | | | | |
| 1pc | | 2 | | pcs | | 40475 | | 6061-T6 ALUM FLAT 1/4 X 1 1/4 (20) | | 8 # | | 2 pcs BW 847 | |
| | | 3 | | pcs | | 5405717 | | 6061-T6 ALUM 1 SQ X .120 "SOC" (29) | | 36 # | | 3 pcs CI 159 | |
| 1.00 | | | | Lot | | | | Fuel Surcharge | | | | | |
| | | | | | | TOTAL : | | | | | | 320 LBS | |

NOMBRE DE PAQ.
NUMBER OF BOL'S

MTR-AVEC COMMANDE
MTR'S-WITH ORDER ☒

POSTE
MAIL ☐

TÉLÉCOPIEUR
FAX ☐

Page: 2

09:24:36

20080822

N° DE COULÉE ÉTAMPER SUR LE CÔTÉ
HEAT NO. STAMP ONE END ☐

**** DELIVERY / LIVRAISON ****

MATÉRIEL REÇU EN BON ÉTAT PAR / MATERIAL RECEIVED IN GOOD CONDITIONS BY:

REVISION "E" - 07/97 - FORM 8009



ZHENGZHOU MINGTAI INDUSTRY CO., LTD
CHANGCHUN ROAD NO.6, HIGH AND NEW TECHNOLOGY ZONE,
ZHENGZHOU HENAN CHINA
TEL: 371-67898611 FAX: 371-67898612

MILL TEST/QUALITY CONTROL CERTIFICATE

L/C NO.: IRTI-579490
INVOICE NO.: ZZDG070806
CONTRACT NO.: ER-3667-P
ORDER NO.: R125447
DATE: SEP-2,2007

ORIGINAL

DESCRIPTION OF GOODS:

ALUMINUM ALLOY SHEET PRODUCTS 3003 AND 5052

SHIPMENT TERM: CFR MONTREAL,CANADA(INCOTERMS 2000)

WE CERTIFY THAT MATERIAL CONFORMS TO FOR ALUMINUM ALLOY SHEET PRODUCTS
5052 ALUMINUM ASSOCIATION STANDARDS,ASTM B209, AND AMS-QQ-A-250/8 AND
FOR ALUMINUM ALLOY SHEET PRODUCTS 3003 ALUMINUM ASSOCIATION STANDARDS,
ASTM B209 AND AMS-QQ-A-250/2 SPECIFICATIONS IN ALL RESPECTS.

IN IMPERIAL NOMENCLATURE:

ACTUAL MILL CHEMICAL UNIT: %

| Alloy No. Temper | Lot No. | Fe | Si | Cu | Mg | Mn | Cr | Zn | Ti | Others | Al |
|---------------------|---------|-------|-------|--------|------|-------|-------|-------|-------|--------|--------|
| 5052 H32 | B2372 | 0.326 | 0.075 | <0.005 | 2.45 | 0.051 | 0.189 | 0.022 | 0.017 | <0.05 | REMAIN |
| 5052 H32 | B2330 | 0.378 | 0.081 | <0.005 | 2.42 | 0.007 | 0.199 | 0.023 | 0.017 | <0.05 | REMAIN |
| 5052 H32 | B2345 | 0.358 | 0.082 | <0.005 | 2.43 | 0.051 | 0.205 | 0.05 | 0.016 | <0.05 | REMAIN |
| 5052 H32 | B2348 | 0.324 | 0.074 | <0.005 | 2.51 | 0.054 | 0.194 | 0.021 | 0.016 | <0.05 | REMAIN |
| 5052 H32 | B2350 | 0.288 | 0.082 | <0.005 | 2.4 | 0.09 | 0.187 | 0.024 | 0.013 | <0.05 | REMAIN |
| 5052 H32 | B2357 | 0.327 | 0.075 | <0.005 | 2.46 | 0.053 | 0.211 | 0.024 | 0.014 | <0.05 | REMAIN |
| 5052 H32 | B1543 | 0.339 | 0.077 | <0.005 | 2.47 | 0.045 | 0.186 | 0.022 | 0.016 | <0.05 | REMAIN |
| 5052 H32 | B2353 | 0.380 | 0.074 | <0.005 | 2.39 | 0.057 | 0.227 | 0.025 | 0.015 | <0.05 | REMAIN |
| 5052 H32 | 4004 | 0.343 | 0.086 | <0.005 | 2.39 | 0.038 | 0.231 | 0.027 | 0.025 | <0.05 | REMAIN |
| 5052 H32 | 4089 | 0.361 | 0.088 | <0.005 | 2.41 | 0.041 | 0.222 | 0.026 | 0.024 | <0.05 | REMAIN |
| 5052 H32 | 4222 | 0.352 | 0.087 | <0.005 | 2.43 | 0.036 | 0.234 | 0.024 | 0.026 | <0.05 | REMAIN |

MECHANICAL PROPERTY TEST REPORTS

| Alloy No. | Temper | Lot No. | Specified | Tensile strength | | Yield strength | | Elongation (%) |
|--------------|--------|------------|---------------------|---------------------|-------|-------------------|-------|-------------------|
| | | | | (MPa) | (KSI) | (MPa) | (KSI) | |
| 5052 | H32 | B2372 | 0.050" X 48" X 120" | 230 | 33.35 | 176 | 25.52 | 12 |

CF 987

2007/09/03

| | | | | | | | | |
|------|-----|-------|---------------------|-----|-------|-----|-------|----|
| 5052 | H32 | B2330 | 0.040" X 48" X 96" | 235 | 34.08 | 177 | 25.67 | 14 |
| 5052 | H32 | B2345 | 0.050" X 48" X 96" | 234 | 33.93 | 177 | 25.67 | 15 |
| 5052 | H32 | B2348 | 0.063" X 48" X 96" | 237 | 34.37 | 178 | 25.81 | 14 |
| 5052 | H32 | B2350 | 0.063" X 48" X 96" | 229 | 33.21 | 176 | 25.52 | 15 |
| 5052 | H32 | B2357 | 0.090" X 48" X 120" | 225 | 32.63 | 175 | 25.38 | 16 |
| 5052 | H32 | B1543 | 0.125" X 60" X 120" | 229 | 33.21 | 176 | 25.52 | 12 |
| 5052 | H32 | B2353 | 0.090" X 48" X 96" | 232 | 33.64 | 177 | 25.67 | 13 |
| 5052 | H32 | 4004 | 0.100" X 48" X 96" | 227 | 32.92 | 175 | 25.38 | 11 |
| 5052 | H32 | 4089 | 0.100" X 48" X 96" | 225 | 32.63 | 175 | 25.38 | 11 |
| 5052 | H32 | 4222 | 0.100" X 48" X 96" | 229 | 33.21 | 176 | 25.52 | 10 |

ZHENGZHOU MINGTAI INDUSTRY CO., LTD

ORIGINAL

ZHENGZHOU MINGTAI INDUSTRY CO., LTD.
郑州明泰实业有限公司

郝明霞

03/01/02



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate – mill certificate

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

Nr.: **85393491 01 / 1**
Rev. **0**

Seite / page: 1 von / of 2
Datum / date: 2008 06 10

65803

2498

| | | |
|--|---|------------|
| Auftraggeber / customer: | Bestell Nr. / order no.: | 6303-G |
| | Datum / date: | 2008 05 05 |
| | Auftragsbest. Nr. / order confirm. no.: | 585735 |
| | Datum / date: | 2008 05 07 |
| Warenempfänger / consignee: | Lieferschein Nr. / delivery note: | 85393491 |
| | Datum / date: | 2008 06 16 |
| | Akkreditiv Nr. / letter of credit no.: | |
| Endkunde, Bestell-Nr. / Your cust., ord. no.: | | |

| | |
|---|--|
| Produkt/product | Bedingungen/terms |
| Form / form: sheet Werkstoff / material: 6061 Zustand / temper: T6 Dim. / dim: [inch]: 0,125x48,00x96,00 Kundenartikel-Nr / customer article no.: | Techn. Lieferbedingungen / techn. spec.: ASTM B 209-04, AMS-QQ-A-250/11-97 ASME SB-209-04 Sondervorschrift / special terms: |

| AB-Pos. ord.-item. | BNr/Los/Teillos Lot/No./Part | Guss Nr. cast no. | Werkstoff material | Kollo packno. | Gewicht netto weight net | Stk. pcs. |
|-----------------------|---------------------------------|----------------------|-----------------------|------------------|-----------------------------|--------------|
| 01 | 20133/01/00 | 01/0026299/7 | 6061 | 5857350003 | 4085,097 lbs | 72 |
| 01 | 20133/01/00 | 01/0026299/7 | 6061 | 5857350004 | 4082,892 lbs | 72 |
| 01 | 20133/01/00 | 01/0026299/7 | 6061 | 5857350005 | 4087,302 lbs | 72 |
| 01 | 21554/01/00 | 01/0026298/7 | 6061 | 5857350006 | 4080,688 lbs | 72 |
| 01 | 21554/01/00 | 01/0026298/7 | 6061 | 5857350007 | 4080,688 lbs | 72 |
| 01 | 21554/01/00 | 01/0026298/7 | 6061 | 5857350008 | 4080,688 lbs | 72 |
| 01 | 21554/01/00 | 01/0026298/7 | 6061 | 5857350009 | 3002,646 lbs | 53 |
| 01 | 21554/02/00 | 01/0026199/7 | 6061 | 5857350010 | 4074,074 lbs | 72 |
| 01 | 21554/02/00 | 01/0026199/7 | 6061 | 5857350011 | 4071,869 lbs | 72 |
| 01 | 21554/02/00 | 01/0026199/7 | 6061 | 5857350012 | 4078,483 lbs | 72 |

| Chemische Zusammensetzung / chemical composition: [%] Gewichtsanteile / weight proportion | | | | | | | | | | | |
|---|------------------|-------|------|------|------|------|------|------|------|------|-----------------|
| Guss Nr. / cast no. | AMAG designation | Al | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Sonstige Einzel |
| 01/0026199/7 | 6061 | | | | | | | | | | |
| | actual | 97,39 | 0,68 | 0,49 | 0,22 | 0,12 | 0,81 | 0,16 | 0,04 | 0,06 | 0,01 |
| | Sonstige Summe | | | | | | | | | | |
| 01/0026298/7 | 6061 | | | | | | | | | | |
| | actual | 97,25 | 0,68 | 0,47 | 0,23 | 0,13 | 0,94 | 0,17 | 0,05 | 0,05 | 0,01 |
| | Sonstige Summe | | | | | | | | | | |
| 01/0026299/7 | 6061 | | | | | | | | | | |
| | actual | 97,28 | 0,68 | 0,48 | 0,22 | 0,13 | 0,91 | 0,18 | 0,05 | 0,06 | 0,01 |
| | Sonstige Summe | | | | | | | | | | |
| 01/0026299/7 | 6061 | | | | | | | | | | |
| | actual | 97,28 | 0,68 | 0,48 | 0,22 | 0,13 | 0,91 | 0,18 | 0,05 | 0,06 | 0,01 |
| | Sonstige Summe | | | | | | | | | | |
| 01/0026299/7 | 6061 | | | | | | | | | | |
| | actual | 97,28 | 0,68 | 0,48 | 0,22 | 0,13 | 0,91 | 0,18 | 0,05 | 0,06 | 0,01 |
| | Sonstige Summe | | | | | | | | | | |

AMAG rolling GmbH,
AMAG rolling GmbH,

Ranshofen, Österreich -
Ranshofen, Austria



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate – mill certificate

Nr.: 85393491 01 / 1

Rev. 0

Seite / page: 2 von / of 2

Datum / date: 2008 06 10

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

| Zugversuch / Tensile test | | | | | | | | | |
|---------------------------|-------------------|-----------------------|-------|-----|-------------|----------------|------------|--|--|
| BNr/Los Lot/No. | Zustand temper | Richtung direction | Tests | | Rm [ksi] | Rp0.2 [ksi] | A2" [%] | | |
| 20133/01 | T6 | LT | 8 | Min | 46,4 | 40,3 | 13 | | |
| 20133/01 | T6 | LT | | Max | 48,9 | 42,6 | 15 | | |
| 21554/01 | T6 | LT | 9 | Min | 47,3 | 39,9 | 15 | | |
| 21554/01 | T6 | LT | | Max | 48,3 | 40,5 | 18 | | |
| 21554/02 | T6 | LT | 8 | Min | 47,4 | 40,2 | 14 | | |
| 21554/02 | T6 | LT | | Max | 48,3 | 41,2 | 16 | | |

Bemerkungen / notes

Material erfüllt auch die mechanischen Eigenschaften von AMS 4027 in der letzt gültigen Ausgabe, ist aber nicht gestempelt. / Material meets also the mechanical properties of AMS 4027 in the current version, but not marked.

Es wird bestätigt, dass die Lieferung geprüft wurde und den Vereinbarungen bei der Bestellung entspricht.
We hereby certify that the material described above has been tested and complies with the terms of the order contract.

Werkssachverständiger /
factory specialist

Josef Klampfer

Herstellerland: Österreich / goods origin: The goods are of Austrian origin.
Maschinell erstellt - Gültig ohne Unterschrift / Automated - valid without being signed.

AMAG rolling GmbH,
AMAG rolling GmbH,

Ranshofen, Österreich -
Ranshofen, Austria



CERTIFICAT DE CONFORMITÉ

Ce certificat garantit que le matériel décrit ci-dessous a été produit conformément au manuel d'assurance qualité d'EXTRUDEX ALUMINIUM (QUÉBEC) S.E.C., selon les normes de l' "ALUMINUM ASSOCIATION" (ANSI H35.1-1997)

NOM DU CLIENT : MAGNA STAINLESS INC.

VOTRE NO DE COMMANDE : #071496-CAH

NOTRE NO DE COMMANDE : 55325-03

NO DE FILIERE : SA-00022

DESCRIPTION : PLAT 3/4 x 1/8 "


ALLIAGE : 6061

TREMPAGE : T6

DURETÉ (WEBSTER) : 15

NO DE COULÉE : 2789

SIGNATURE :



Gilles Bégin

~~CA-795~~
CA-795
(81)

EXTRUSIONS D'ALUMINIUM, PEINTURE ET FABRICATION

770, CHEMIN OLIVIER, SAINT-NICOLAS, (QUÉBEC) G7A 2N2
TÉL.: (418) 831-4444 FAX: (418) 831-7400 INWATT: 1-800-704-4244 COURRIEL: extrudex@extrudex.ca



MATALCO INC. CERTIFICATE OF ANALYSIS

850 INTERMODAL DRIVE, BRAMPTON, ONTARIO, L6T 0B5 Telephone: (905) 790-2511 Fax: (905) 790-2057

Sold To: 2005

EXTRUDEX ALUMINUM (OUE) S.E.C.

Ship To: 2005

EXTRUDEX ALUMINUM (OUE) S.E.C.

*** TOLL MATERIAL ***

| Ship Date | | Packing Slip # | | Vehicle ID | | Customer P.O.# | | Delivery Terms/Carrier | | | | | | | |
|------------------|------|---------------------------|--------|--------------|-------------|----------------|-----|------------------------|------|------|------|------|------|------|------|
| October 09, 2007 | | 1003631 | | 7297-2 | | EMAIL | | KOTRANSPORT INC. | | | | | | | |
| Tag ID | Pcs. | Product | Cast # | Gross Weight | Tare Weight | Net Weight | UOM | ANALYSIS | | | | | | | |
| | | | | | | | | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti |
| 47277 | 5 | 6061-08288 / 6061-2037315 | 2789 | 7,129 | 40 | 7,089 | LB | 0.60 | 0.22 | 0.19 | 0.05 | 0.82 | 0.06 | 0.02 | 0.02 |
| 47278 | 5 | 6061-08288 / 6061-2037315 | 2789 | 7,132 | 40 | 7,092 | LB | 0.60 | 0.22 | 0.19 | 0.05 | 0.82 | 0.06 | 0.02 | 0.02 |
| 47288 | 5 | 6061-08288 / 6061-2037315 | 2790 | 7,130 | 40 | 7,090 | LB | 0.62 | 0.24 | 0.18 | 0.07 | 0.87 | 0.06 | 0.02 | 0.01 |
| 47289 | 5 | 6061-08288 / 6061-2037315 | 2790 | 7,129 | 40 | 7,089 | LB | 0.62 | 0.24 | 0.18 | 0.07 | 0.87 | 0.06 | 0.02 | 0.01 |
| 47290 | 5 | 6061-08288 / 6061-2037315 | 2790 | 7,126 | 40 | 7,086 | LB | 0.62 | 0.24 | 0.18 | 0.07 | 0.87 | 0.06 | 0.02 | 0.01 |
| 47291 | 5 | 6061-08288 / 6061-2037315 | 2790 | 7,127 | 40 | 7,087 | LB | 0.62 | 0.24 | 0.18 | 0.07 | 0.87 | 0.06 | 0.02 | 0.01 |
| 6 | 30 | | | 42,773 | 240 | 42,533 | | | | | | | | | |
| Grand Total: | | | | 42,773 | 240 | 42,533 | | | | | | | | | |

RECU/RECEIVED

12 OCT. 2007

19293

Pieces : 30
Bundles : 6

CA-795 (ADD)

EXTRUDEX Aluminum

Tensile Properties of Metals (ASTM-B557)

01-Nov-07

Report No. 13200

Test Date 01-Nov-07

Customer MAGNA STAIN

Die No. SA-0022 (14)

Operator BABBY

Client Info:

Gage Length 2

Load Cell Capacity (Lbs) 20000

Preload Value (Lbs) 30

Cross Head Speed (Inches/min) 0.5

Notes

Phone:

FAX:

| Test No | Spec ID | Width | Thickness | Area (sq.in.) | Ultimate (lbs) | Ultimate (Kpsi) | Yield (lbs) | Yield (Kpsi) | Total Elong. (%) | Rockwell 'F' (1) | Rockwell 'F' (2) | Rockwell 'F' (3) |
|---------|--------------|-------|-----------|------------------|-------------------|--------------------|----------------|-----------------|---------------------|---------------------|---------------------|---------------------|
| 13013 | SA-0022 (14) | 0.503 | 0.120 | 0.0604 | 2,617 | 43.4 | 2,432 | 40.3 | 11.0 | 85.6 | 85.7 | 86.0 |



Dominie



514-636-5904

1

DATE:

13 NOV





LONGKOU NANSHAN ALUMINUM GENERAL FACTORY

NANSHAN INDUSTRY ZONE LONGKOU CITY SHANDONG

PROVINCE CHINA

TEST REPORTS

Order No.: A2898 Test Date: 2006.6.27
Description of Goods: Square Bar Alloy /Temper: 6061/T6511
Standard For Test: ASTM B221-2004 AMS-QQ-A 200/8 AMS 4173-E
Heat No.: 745
Net Weight(lbs): 1172 Bundle No.: 101-102
Size(inch): 1.250" Sq. X 240" Die No.: NSXC101-009

TABLE OF RESULT DETAIL

A. CHEMICAL COMPOSITION

| Test Items | | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Impurities | |
|---------------------|-----|------|------|------|------|------|------|------|------|------------|-------|
| Normal Requirements | Min | 0.4 | / | 0.15 | / | 0.8 | 0.04 | / | / | Each | Total |
| | Max | 0.8 | 0.7 | 0.4 | 0.15 | 1.2 | 0.35 | 0.25 | 0.15 | 0.05 | 0.15 |
| Test Results | | 0.65 | 0.15 | 0.20 | 0.05 | 0.93 | 0.09 | / | / | 0.05 | 0.15 |

B. MECHANICAL PROPERTY

| Test Items | Ultimate Strength | Yield Strength | Elongation |
|---------------------|-------------------|----------------|------------|
| Units | KSI(min) | KSI(min) | % |
| Normal Requirements | 38.0 | 35.0 | 10 |
| Test Results | 45.9 | 44.1 | 15 |

It is hereby certified that the above material is manufactured in compliance with the specified standards and meets the stipulated requirement.

Authorized Department: Quality Test Department

Inspector: 逢彩燕

Quality Manager: Ke xin Yao

Signature: 姚克欣

LONGKOU NANSHAN ALUMINUM

GENERAL FACTORY



BQ 714



325 rue Avro
Pointe-Claire QC H9R 5W3

Téléphone (514) 697-5120
Fac-simile (514) 694-8310

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : **MAGNA STAINLESS INC.**

Adresse / Address : **525, Meloche
Dorval (Québec)
H9P 2W2**

commande Indalex / Indalex order # : **7051201**

bon de commande / Purchase order # : **069084-SM1**

de matrice / Die # : **MS 15739** Description : **1.25"x.250" FLAT BAR**

Alliage & trempage / Alloy & temper : **6061 T6**

Contrôle / Control # : **46578-2**

Coulée / Cast # : **40475**

Dureté Rockwell E /
Rockwell E hardness : **95 HRE**

Min. requis /
Min. required : **88 HRE**

Max. permis /
Max. permitted : **100 HRE**

Composition chimique typique / Typical chemical composition :

| | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti |
|-------|-------------|-------------|-------------|-------------|-------------|-------------|----------|----------|
| 6063 | 0,20 - 0,60 | 0,35 Max | 0,10 Max | 0,10 Max | 0,45 - 0,90 | 0,10 Max | 0,10 Max | 0,10 Max |
| 6005 | 0,60 - 0,90 | 0,35 Max | 0,10 Max | 0,10 Max | 0,40 - 0,60 | 0,10 Max | 0,10 Max | 0,10 Max |
| 6005A | 0,66 - 0,74 | 0,14 - 0,28 | 0,08 - 0,16 | 0,18 - 0,26 | 0,46 - 0,54 | 0,03 Max | 0,05 Max | 0,05 Max |
| 6061 | 0,40 - 0,80 | 0,70 Max | 0,15 - 0,40 | 0,15 Max | 0,80 - 1,20 | 0,04 - 0,35 | 0,25 Max | 0,15 Max |
| 6351 | 0,7 - 1,3 | 0,5 Max | 0,10 Max | 0,40 - 0,80 | 0,40 - 0,80 | — | 0,20 Max | 0,20 Max |

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221 excepté pour la section 8.2 (nombre de spécimen) et AMS QQA 200/8 excepté pour la section 4.2.3.1 (nombre de spécimen) qui sont déterminés par les exigences du client.

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221 except for section 8.2 (number of specimen) and AMS QQA 200/8 except for section 4.2.3.1 (number of specimen) which is determined by customer requirement.

Sincèrement vôtre,
Yours truly,

date : **2007-05-30**

Bruno Morency
Technicien de la qualité
Quality technician

Indalex Limited

B
M
8
4
7

Can Art Aluminum Extrusion Inc.

Material Test Report

52152

Customer Ship To:

ASA Alloys Inc.
81 Steinway Blvd.

Etobicoke

ON M9W 6H6

Our Order: 342862 - 7

Your PO # 060433-RK

Part # 05717-000-240

Die: EH05717

Description: 1.000 x .125

Alloy Temper 6061 T6511

Print Date: 9/14/2006

Chemical Properties

| Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | others each | others total | Al |
|----------|---------|----------|----------|---------|-----------|----------|------|-------------|--------------|--------|
| 0.40-0.8 | 0.7 max | 0.15-.40 | 0.15 max | 0.8-1.2 | 0.04-0.35 | 0.25 max | 0.15 | 0.05 | 0.15 | remain |


Mechanical Properties

Strength ksi

| Test ID | Test Date | CastNum | Ultimate | Yield (2% Offset) | Elongation (2" gage length) |
|---------|-----------|---------|----------|-------------------|--------------------------------|
| 108360 | 9/14/06 | 593 | 46.45 | 40.94 | 15.3 |

Applicable Specifications: ASTM B221 ASTM B308 ASTM B429 QQA200/8 QQA200/16

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.


Authorized Signature

MAGNA

MAGNA STAINLESS DIV. DE CSM INC.
525 MELOCHE AVE.

DORVAL, QUEBEC H9P 2W2
(514) 631-1211 FAX: (514) 631-0013

COMMANDE
SALES ORDER.

0174283

VENDEU À /
SOLD TO:

LIVRE À
SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY
ONTARIO

K6A 1K7

INSTRUCTIONS SPECIALES / SPECIAL INSTRUCTIONS

| | | | | | |
|--|---------------------------------|--|--|---|---|
| COMMANDE SALES ORDER | CODE DE CLIENT CUSTOMER CODE | BON D'ACHAT DU CLIENT CUSTOMER PURCHASE ORDER | N° DE TÉLÉPHONE DU CLIENT CUSTOMER TELEPHONE NUMBER | N° DE TÉLÉCOPIEUR DU CLIENT CUSTOMER FAX NO. | |
| 0174283 | DART | 7007 | 613 632-5200 | 632-1053 | |
| LIVRE VIA - SHIP VIA | CONDITIONS - TERMS | DATE COMMANDEE DATE ORDERED | DATE REQUISE DATE REQUIRED | DATE LIVREE DATE DELIVERED | N° DU VENDEUR SALES REP NO. |
| NIR:R-557065-1 | NET 30 | Aug-22-08 | Aug-27-08 | | 15 26 EB |
| CONTROLE DE QUALITE DU CLIENT REQUIS CUSTOMER QUALITY RELEASE REQ'D | | CONTROLE DE QUALITE DE MAGNA REQUIS MAGNA QUALITY RELEASE REQ'D | | PREPAYE PREPAID | A PERCEVOIR COLLECT |
| QUALITE - QUALITY | UNITE UNIT | N° DE COULEE HEAT NUMBER | DESCRIPTION | QTE LIVREE QTY SHIPPED | INSTRUCTIONS DE L'USINE PLANT INSTRUCTIONS |
| 28 2 | pcs | 20080701501 | 6061-T6 ALUM FLAT 1 1/2 X 3 MUST BE HT:200807015 | 212# | 2 pcs CK218/ 2x20" |
| TOTAL : | | | | | 212 LBS |

NOMBRE DE PAQ.
NUMBER OF BOL'S

1 BOL

MTR-AVEC COMMANDE
MTR'S-WITH ORDER



POSTE
MAIL



TÉLÉCOPIEUR
FAX



N° DE COULEE ÉTAMPER SUR LE CÔTÉ
HEAT NO. STAMP ONE END



** DELIVERY / LIVRAISON **

Page: 1

08:51:36

20080825

MATÉRIEL REÇU EN BON ÉTAT PAR / MATERIAL RECEIVED IN GOOD CONDITIONS BY:

REVISION 'B' - 07/07 - FORM 8008

PANASIA ALUMINIUM (CHINA) LIMITED

Aluminium Mill Certificate

Cert. No.: PAAV-MC0807040

CUSTOMER: ASA Alloys Inc

PO No.: 071647-BB

Contract No.: NIL

Alloy & Temper: 6061-T6511

Standards: ASTM-B221

QQA-200/8

Container No.: ZCSU9022504

Date of shipment: 2008.07.09

S 09/08/27

*66127 6615
66128 6615
66130
66145
66153*

Chemical Composition (%)

| Heat No. | Si | Mg | Fe | Cu | Mn | Zn | Cr | Ti | Al |
|-------------|-----------|-----------|--------|-----------|---------|---------|-----------|---------|------|
| Standard | 0.40-0.80 | 0.80-1.20 | 0.7max | 0.15-0.40 | 0.15max | 0.25max | 0.04-0.35 | 0.15max | Rem. |
| 20080703501 | 0.672 | 0.877 | 0.231 | 0.197 | 0.030 | 0.037 | 0.090 | 0.010 | Rem. |
| 20080621401 | 0.670 | 0.872 | 0.235 | 0.200 | 0.034 | 0.035 | 0.093 | 0.016 | Rem. |
| 20080612403 | 0.679 | 0.873 | 0.236 | 0.193 | 0.036 | 0.038 | 0.094 | 0.013 | Rem. |
| 20080701601 | 0.673 | 0.878 | 0.229 | 0.198 | 0.031 | 0.030 | 0.096 | 0.011 | Rem. |
| 20080620402 | 0.676 | 0.874 | 0.240 | 0.194 | 0.032 | 0.031 | 0.091 | 0.014 | Rem. |
| 20080622401 | 0.674 | 0.876 | 0.234 | 0.196 | 0.033 | 0.036 | 0.092 | 0.012 | Rem. |
| 20080626201 | 0.672 | 0.871 | 0.233 | 0.199 | 0.035 | 0.034 | 0.097 | 0.018 | Rem. |
| 20080629402 | 0.677 | 0.875 | 0.230 | 0.201 | 0.037 | 0.032 | 0.096 | 0.017 | Rem. |

Tensile Test Result

| Heat No. | Die No. | Customer part No. | Description | Tensile Strength | | Yield Strength | | Elongation |
|-------------|-----------|-------------------|---------------------------------------|------------------------------|--------------|------------------------------|--------------|------------|
| | | | | N/mm ² 260 min | Ksi 38min | N/mm ² 240 min | Ksi 35min | |
| 20080703501 | T10025 | | ✓ 2x1/4 0.375" R Al Sq Tube Rd Corner | 290 | 42 | 270 | 39 | 12.2 |
| 20080621401 | F10000055 | | ✓ 1x3/4 Flat Bar | 295 | 43 | 260 | 38 | 12.0 |
| 20080612403 | F10000055 | | ✓ 1x3/4 Flat Bar | 295 | 43 | 265 | 39 | 12.3 |
| 20080701601 | F10000123 | | ✓ 3x1.5 Al Flat | 285 | 42 | 265 | 39 | 12.1 |
| 20080620402 | P10000028 | | ✓ 1 1/4 OD x 120W Pipe | 290 | 42 | 260 | 38 | 12.5 |
| 20080622401 | P10000028 | | ✓ 1 1/4 OD x 120W Pipe | 290 | 42 | 260 | 38 | 12.2 |
| 20080626201 | P10017 | | ✓ 2" OD 0.125W Al Pipe | 295 | 43 | 265 | 39 | 12.4 |
| 20080629402 | F10031 | | ✗ 3x1.5 3x1.5 Al Flat | 285 | 42 | 270 | 39 | 12.0 |


Hardness Test Result

| Section No. | HRE | Webster | Other Remarks |
|-------------|-----|---------|---------------|
| T10025 | 90 | 15.3 | |
| F10000055 | 91 | 15.6 | |
| F10000055 | 91 | 15.6 | |
| F10000123 | 90 | 15.3 | |
| P10000028 | 90 | 15.3 | |
| P10000028 | 91 | 15.6 | |
| P10017 | 91 | 15.6 | |
| F10031 | 91 | 15.6 | |

The above result was done on testing samples and the mill shall guarantee the same quality for the same batch of products. It is certified that the material conforms in all respects to the requirements of the above standards latest revision.

QC: Xiaotuan Zhang

Checked By: Junxian Luo



DART

Purchase Order

| | |
|-------------------------------------|-----------|
| Date Aug 21, 2008 | Page 1 |
| Purchase Order Number PO00007007 | |

Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7
Phone: (613)632-9577
Fax: (613)632-1053

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

FAXED
AUG 21 2008

Vendor Address:

Magna Stainless
525 avenue Meloche
Dorval, QC H9P 2W2
Canada
Phone (800) 363-6646
Fax (514) 631-0013

Ship To:

Main Finished Goods Location
Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7

| Reference | Contact | Vendor Number | PO Date | Terms | Ship Via | Expected Arrival |
|-----------|---------|---------------|--------------|-------|----------|------------------|
| | | VC-MAG002 | Aug 21, 2008 | N30 | yours | Aug 22, 2008 |

| Qty. Ordered | Item Number | Description | Expected Arrival | Drop-Ship | Unit Cost | UOM | Extended Price |
|----------------------------------|------------------|--|------------------|-----------|-----------|-----|----------------|
| ✓ 128.0000 | M5052H32S040 | 5052-H32 .040 Sheet Comments: MATERIAL: 5052H32 ALUMINUM SHEET PER AMS-QQ-A-250/8 OR AMS 4016 | 8/22/2008 | No | 1.437500 | sf | 184.00 |
| 60.0000 <i>(Rec'd 8/22)</i> | M6061T6B0250X012 | 6061-T6 Bar .250 X 1.25 Comments: MATERIAL: 6061-T6 OR 6061-T651/T6510/T6511/T62 BAR PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 PER AMS-QQ-A-200/8 OR AMS 4160 | 8/22/2008 | No | 0.875500 | f | 52.53 |
| ✓ 120.0000 | M6061T6B0750X001 | 6061-T6 Bar .750 x 1.25 Comments: AS ABOVE | 8/22/2008 | No | 0.275000 | f | 33.00 |
| ✓ 12.0000 <i>(Rec'd 8/22)</i> | M6061T6B1250X012 | 6061-T6 Bar 1.25 x 1.25 Comments: AS ABOVE | 8/22/2008 | No | 7.500000 | f | 90.00 |
| ✓ 40.0000 | M6061T6B3000X015 | 6061-T6 Bar 3.00 x 1.50 Comments: AS ABOVE | 8/22/2008 | No | 12.500000 | f | 500.00 |
| 128.0000 | M6061T6S080 | 6061-T6 .080 Sheet Comments: MATERIAL: 6061-T6 OR 6061-T62 ALUMINUM SHEET PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 | 8/22/2008 | No | 6.875000 | sf | 880.00 |
| 96.0000 | M6061T6S090 | 6061-T6 .090 Sheet Comments: AS ABOVE | 8/22/2008 | No | 5.250000 | sf | 504.00 |
| ✓ 96.0000 | M6061T6S125 | 6061-T6 .125 Sheet Comments: AS ABOVE | 8/22/2008 | No | 6.406000 | sf | 614.98 |
| 120.0000 | M6061T6T1000W065 | 6061T6 RD TUBE 1.00 x . Comments: MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 | 8/22/2008 | No | 4.166600 | f | 499.99 |
| 140.0000 | M6061T6T1250W125 | ALUM. RD TUBING 1.250 | 8/22/2008 | No | 1.300000 | f | 182.00 |

12/8/08 21
M109058
M109058
Continued on next page...

DART

Purchase Order

| | |
|-------------------------------------|-----------|
| Date Aug 21, 2008 | Page 2 |
| Purchase Order Number PO00007007 | |

Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7
Phone: (613)632-9577
Fax: (613)632-1053

Vendor Address:

Magna Stainless
525 avenue Meloche
Dorval, QC H9P 2W2
Canada
Phone (800) 363-6646
Fax (514) 631-0013

Ship To:

Main Finished Goods Location
Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7

| | | | | | | |
|-----------|---------|----------------------------|-------------------------|--------------|-------------------|----------------------------------|
| Reference | Contact | Vendor Number VC-MAG002 | PO Date Aug 21, 2008 | Terms N30 | Ship Via yours | Expected Arrival Aug 22, 2008 |
|-----------|---------|----------------------------|-------------------------|--------------|-------------------|----------------------------------|

| Qty. Ordered | Item Number | Description | Expected Arrival | Drop-Ship | Unit Cost | UOM | Extended Price |
|--------------|------------------|---|------------------|-----------|-----------|-----|----------------|
| 200.0000 | M6061T6T1750W065 | Comments: AS ABOVE 6061T6 RDTUBE 1.750 X | 8/22/2008 | No | 5.416000 | f | 1,083.20 |
| 60.0000 | M6061T6TS1000W12 | Comments: AS ABOVE 6061T6 SQ TUBE 1.00 x 1 | 8/22/2008 | No | 1.500000 | f | 90.00 |
| B/O | | Comments: MATERIAL : 6061-T6 (OR 6061-T651/T6510/T6511/T62 SQUARE TUBING PER ASM-QQ-A-225/8 (OR AMS 4417/4128/4115/4116) OR PER ASM-QQ-A-200/8 (OR AMS 4160) | | | | | |

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Comments:**Tax Summary:**

GST
ONT PST

235.69
0.00

Less:

included tax

0.00

Subtotal

4,713.70

Total tax

235.69

Total purchase order in

CAD Dollars

4,949.39

Entered By *CLAVOIE*

Approved By: *U*

Chantal Lavoie

From: Eryck Blais [eblais@magnastainless.com]
Sent: Thursday, August 21, 2008 2:17 PM
To: 'Chantal Lavoie'
Subject: RE: QUOTE

THANK YOU
ERYCK
SUBJECT TO PRIOR SALE

From: Chantal Lavoie [mailto:clavoie@dartaero.com] -- -- --
Sent: Thursday, August 21, 2008 12:12 PM
To: Eryck Blais
Subject: QUOTE

Please advise price & delivery on material.

5052H32 SHEET .040 X 128 SF 4 PCS 46.00 EACH ✓
6061-T6 BAR .250 X 1.250" X 60 FT 3 PCS 17.50 EACH
6061-T6 BAR .750 X .125 X 120 FT 6 PCS 5.50 EACH
6061-T6 BAR 1.250 X 1.250 X 12 FT 1 PC 90.00 EACH
6061-T6 BAR 2" X 1.250 X 24 FT NO STOCK
6061-T6 BAR 3" X 1.5" X 40FT 2 PCS 250.00 EACH
6061-T6 SHEET .080 X 128 SF 4 PCS 220.00
6061-T6 SHEET .090 X 96 SF 3 PCS 168.00
✓ 6061-T6 SHEET .125 X 96 SF 3 PCS 205.00 ✓ 6.406
✓ 6061-T6 ROUND TUBING 1" X .065 WALL X 120 FT 10 PCS X 12' \$50.00 EACH ✓ 4.1666
✓ 6061-T6 ROUND TUBING 1.250 X .125 WALL X 140 FT 7 PCS X 20' \$26.00 EACH ✓ 1.30
✓ 6061-T6 ROUND TUBING 1.750 X .065 WALL X 200 FT 17 PCS X 12' \$65.00 EACH ✓ 5.416
✓ 6061-T6 SQUARE TUBING 1" X .120 WALL X 60 FT 3 PCS \$30.00 EACH ✓ 1.5

Thanks
Chantal

Date : Thursday, 8/21/2008 11:59:43 AM

User : Chantal Lavoie

AUTO PO REQUIREMENTS LIST

| Job /SO Number | Seqn | Item | Supplier | Qty | Price | Date Required | Lead | Make |
|----------------|------|--------------------|-----------|--------------|-------------|---------------|------|------|
| | 0.0 | 086004 | VU-MMA001 | 18.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | 240107 | VU-MMA001 | 7.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | AN3C37A | VU-MMA001 | 9.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | AN536A | VU-MMA001 | 4.00000000 | 25 1.0000 | 9/30/2008 | 1 | N |
| | 0.0 | AN8146D | VU-BIL001 | 20.00000000 | 30 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | AN8336D | VU-BIL001 | 25.00000000 | 30 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | CBL460 | VU-REI001 | 500.00000000 | 0.1900 | 9/30/2008 | 1 | N |
| | 0.0 | CR3212404 | VC-AVI001 | 200.00000000 | 300 0.7167 | 9/30/2008 | 1 | N |
| | 0.0 | D26483 | VC-IND004 | 50.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | D2807 | VU-ARV001 | 20.00000000 | 30.6000 | 9/30/2008 | 1 | N |
| | 0.0 | D3218041 | VC-TUL001 | 4.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | D34281 | VC-STU001 | 4.00000000 | 2.5000 | 9/30/2008 | 1 | N |
| | 0.0 | D344613 | VC-TUL001 | 4.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | D37813 | VU-MMA001 | 1.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | D6101007 | VC-COP001 | 36.00000000 | 115.2100 | 9/30/2008 | 1 | N |
| | 0.0 | D6102005 | VC-COP001 | 10.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | D6103003 | VC-COP001 | 14.00000000 | 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | M174B1000X0200 | VC-CAM002 | 11.32500000 | 53.7800 | 9/30/2008 | 1 | N |
| | 0 | | | | | | | |
| | 0.0 | M4130NR0750 | VC-CAM002 | 6.52430000 | 12RT 5.7500 | 9/30/2008 | 1 | N |
| | 0.0 | M4130NTS0500W035 | VC-CAM002 | 47.49868000 | 40 9.5000 | 9/30/2008 | 1 | N |
| | 0.0 | M4140NB0625X04000 | VC-CAM002 | 20.00000000 | 52.2500 | 9/30/2008 | 1 | N |
| | 0.0 | M5052H32S040 | VC-CAM002 | 96.00000000 | 128 2.8500 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6B0250X01250 | VC-CAM002 | 40.00000000 | 40 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | M6061T6B0750X00125 | VC-CAM002 | 100.00000000 | 120 0.5000 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6B1250X01250 | VC-CAM002 | 10.00000000 | 12 6.7083 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6B2000X01250 | VC-CAM002 | 20.00000000 | 24 10.9000 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6B3000X01500 | VC-CAM002 | 25.55219000 | 40 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | M6061T6S080 | VC-CAM002 | 37.93505000 | 96 5.9500 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6S090 | VC-CAM002 | 32.00000000 | 96 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | M6061T6S125 ✓ | VC-CAM002 | 32.00000000 | 96 7.7500 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6T03125W058 | VC-COP001 | 40.00000000 | 100 1.7500 | 9/30/2008 | 1 | N |
| | 0.0 | M6061T6T0500W058 | VC-COP001 | 200.00000000 | 220 0.0000 | 9/30/2008 | 0 | N |

Date : Thursday, 8/21/2008 11:59:43 AM

User : Chantal Lavoie

AUTO PO REQUIREMENTS LIST

| Job /SO Number | Segn | Item | Supplier | Qty | Price | Date Required | Lead | Make |
|----------------|-------|---------------------------|-----------|--------------|------------|---------------|------|------|
| | ✓ 0.0 | M6061T6T1000W0 65 | VC-COP001 | 81.73102000 | 120 0.0000 | 9/30/2008 | 0 | N |
| | ✓ 0.0 | M6061T6T1250W1 25 | VC-COP001 | 123.22916000 | 140 0.0000 | 9/30/2008 | 0 | N |
| | ✓ 0.0 | M6061T6T1750W0 65 | VC-COP001 | 171.36112500 | 200 0.0000 | 9/30/2008 | 0 | N |
| | ✓ 0.0 | M6061T6TS1000 W125 120 | VC-CAM002 | 46.01810000 | 60 1.8000 | 9/30/2008 | 1 | N |
| | 0.0 | MS21075L3 | VC-AVI001 | 322.00000000 | 400 0.4800 | 9/30/2008 | 1 | N |
| | 0.0 | MS287786 | VC-AVI001 | 4.00000000 | 20 0.8600 | 9/30/2008 | 1 | N |
| | 0.0 | SL69BS | VU-REI001 | 11.00000000 | 100 0.0000 | 9/30/2008 | 0 | N |
| | 0.0 | SPS00938X0625 | VU-MMA001 | 1.00000000 | 0.0000 | 9/30/2008 | 0 | N |

Dart Aerospace Ltd

Dart Aerospace Ltd
1270 Aberdeen St
Hawksbury, Ontario K6A 1K7
Phone: (613) 632-3336
Fax: (613) 632-4443

Return

| Date | Page |
|------------------------------|------|
| Jan 20, 2009 | 1 |
| Return Number RET00000209 | |

Vendor Address: Magna Stainless
5775 rue Kieran
St Laurent, Quebec H4S 0A3
Canada

| Reference | Description | Contact | Vendor Number | PO Number |
|-----------|-------------|---------|---------------|------------|
| | | | VC-MAG002 | PO00007959 |

| Qty. Returned | Vendor Item Number | Description | Unit Cost | UOM | Extended Price |
|---------------|--------------------|----------------------------|--------------|-----|----------------|
| 20.0000 | M316TR100W120 | 316 RD tubing 1.00 x .120w | 9.750000 | f | 195.00 |
| Comments: | | | Tax Summary: | | |
| | | | GST | | 9.75 |
| | | | ONTPST | | 0.00 |
| | | | Less: | | |
| | | | included tax | | 0.00 |
| | | | Subtotal | | 195.00 |
| | | | Total tax | | 9.75 |
| | | | Total return | | 204.75 |

Chantal Lavoie

From: L Lacelle [llacelle@dartaero.com]

Sent: January 19, 2009 11:07 AM

To: 'Eryck Blais'

Cc: 'Chantal Lavoie'

Subject: P.O 7959

Hi Eryck,

The 316 round tubing 1.00 x .120w we received is welded, we require seamless per our p.o. Please advise how you would like to proceed.

Thank You,

Linda Lacelle

Production Manager

Dart Aerospace Ltd

20/01/2009